

SAFETY DATA SHEET



FIRE RESTORE

ACTICHEM PTYLTD

Product code: DR164

Version No: 6.2

Issue date: 15/07/2025

Safety Data Sheet according to WHS and ADG requirements

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	FIRE RESTORE
Product code	DR164
Pack size	5L and 15L

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Tile and stone cleaning detergent
--------------------------	-----------------------------------

Details of the manufacturer/importer

Registered company name	ACTICHEM PTY LTD
Address	11 Gamma Close, Beresfield 2322 NSW Australia
Telephone	(02) 4966 5516
Website	www.actichem.com.au
Email	info@actichem.com.au

Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 1126
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code.

Poisons Schedule	6
GHS Classification	Skin Corrosion/Irritation Category 2, Serious Eye Damage Category 1 <i>Classification drawn from HCIS and ECHA C&L Inventory.</i>

Label elements

Hazard pictogram	
------------------	--

SIGNAL WORD	DANGER
-------------	---------------

Hazard statement(s)

H315	Causes skin irritation
H318	Causes serious eye damage.

Precautionary statement(s) Prevention

P280	Wear protective gloves and eye protection.
P264	Wash exposed skin thoroughly after handling
P273	Avoid release to the environment.

Precautionary statement(s) Response

P302+P352+P362+P332+P313	IF ON SKIN: Wash with plenty of soap and water. Take off all contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.
P305+P310+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediately call a POISON CENTRE or doctor.

Precautionary statement(s) Storage

Not applicable

Precautionary statement(s) Disposal

Not applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**Substances**

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
1310-58-3	<10	potassium hydroxide
10213-79-3	<10	sodium metasilicate pentahydrate
7320-34-5	<10	potassium pyrophosphate
64-02-8	<10	EDTA tetrasodium salt
141-43-5	<10	monoethanolamine
111-76-2	<10	ethylene glycol monobutyl ether
Trade secret	<10	proprietary ingredient
9016-45-9	<10	nonylphenol ethoxylated
Trade secret	<10	proprietary surfactant A
Trade secret	<10	proprietary surfactant B

SECTION 4 FIRST AID MEASURES**Description of first aid measures**

Eye Contact	If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If irritation persists get medical advice / attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: Immediately flush body and clothes with large amounts of water, using safety shower if necessary. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water. If irritation persists get medical advice / attention.
Inhalation	Inhalation of spray or mist may cause respiratory irritation. If this occurs remove victim to fresh air. If symptoms persist seek medical advice / attention.
Ingestion	Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat patient symptomatically.

SECTION 5 FIREFIGHTING MEASURES**Extinguishing media**

Extinguishing media	The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.
----------------------------	---

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
-----------------------------	-------------

Advice for firefighters

Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use firefighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	Carbon dioxide (CO2) and other pyrolysis products typical of burning organic material. May emit poisonous fumes. May emit corrosive fumes
HAZCHEM	2X

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Minor Spills	▶ Wash away with copious amounts of water.
Major Spills	▶ Moderate environmental hazard - contain spillage. ▶ Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labeled drums and dispose of according to local government regulations. ▶ Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.
PPE	Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	▶ DO NOT allow clothing wet with material to stay in contact with skin ▶ Avoid all personal contact, including inhalation. ▶ Wear protective clothing when risk of exposure occurs. ▶ Use in a well-ventilated area. ▶ Avoid contact with moisture. ▶ Avoid contact with incompatible materials. ▶ Keep containers securely sealed when not in use. ▶ Avoid physical damage to containers. ▶ Always wash hands with soap and water after handling. ▶ Work clothes should be laundered separately.
Other information	

Conditions for safe storage, including any incompatibilities

Suitable container	▶ Polyethylene or polypropylene container. ▶ Packing as recommended by manufacturer. ▶ Check all containers are clearly labelled and free from leaks.
Storage incompatibility	▶ Avoid reaction with acids and oxidising agents

PACKAGE MATERIAL INCOMPATIBILITIES

Not Available

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA


Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	potassium hydroxide	Potassium hydroxide	Not Available	Not Available	2 mg/m3	Not Available
Australia Exposure Standards	monoethanolamine	Ethanolamine	3 ppm / 7.5 mg/m3	15 mg/m3 / 6 ppm	Not Available	Not Available
Australia Exposure Standards	ethylene glycol monobutyl ether	Butoxyethanol, 2-; (Glycol ether EB)	20 ppm / 96.9 mg/m3	242 mg/m3 / 50 ppm	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
potassium hydroxide	Potassium hydroxide	0.18 mg/m3	2 mg/m3	54 mg/m3
sodium metasilicate, pentahydrate	sodium metasilicate, pentahydrate	45 mg/m3	45 mg/m3	170 mg/m3
potassium pyrophosphate	Potassium pyrophosphate; (Tetrapotassium diphosphate)	61 mg/m3	680 mg/m3	1200 mg/m3
EDTA tetrasodium salt	Ethylenediaminetetraacetic acid, tetrasodium salt; (Tetrasodium EDTA)	75 mg/m3	830 mg/m3	5000 mg/m3
monoethanolamine	Ethanolamine	6 ppm	170 ppm	1000 ppm
nonylphenol ethoxylates	Ethoxylated nonylphenol; (Nonyl phenyl polyethylene glycol ether)	43 mg/m ³	470 mg/m3	5400 mg/m3
ethylene glycol monobutyl ether	Butoxyethanol, 2-; (Glycol ether EB)	60 ppm	120 ppm	700 ppm

Ingredient	Original IDLH	Revised IDLH
potassium hydroxide	Not Available	Not Available
sodium metasilicate, pentahydrate	Not Available	Not Available
potassium pyrophosphate	Not Available	Not Available
EDTA tetrasodium salt	Not Available	Not Available
monoethanolamine	30 ppm	Not Available
nonylphenol ethoxylates	Not Available	Not Available
ethylene glycol monobutyl ether	Not Available	Not Available

Exposure controls

Appropriate engineering controls	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended.
Personal protection	
Eye and face protection	Chemical goggles. Full face shield may be required for supplementary but never for primary protection of eyes. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants.
Skin protection	See Hand protection below
Hands/feet protection	Wear chemical protective gloves, e.g. Butyl or PVC..
Body protection	See Other protection below
Other protection	Overalls. P.V.C. apron. Barrier cream. Skin cleansing cream. Eye wash unit.
Thermal hazards	Not Available

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Clear blue liquid		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Mild pine odour	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	12.8	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION**Information on toxicological effects**

Inhaled	The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. The material has NOT been classified by EC Directives or other classification systems as 'harmful by inhalation'. This is because of the lack of corroborating animal or human evidence.
Ingestion	The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion.
Skin Contact	The material can produce chemical burns following direct contact with the skin. Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	If applied to the eyes, this material causes severe eye damage. Direct eye contact with corrosive bases can cause pain and burns. There may be swelling, epithelium destruction, clouding of the cornea and inflammation of the iris. Mild cases often resolve; severe cases can be prolonged with complications such as persistent swelling, scarring, permanent cloudiness, bulging of the eye, cataracts, eyelids glued to the eyeball and blindness.
Chronic	Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems. Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general

Toxicological effects of ingredients

sodium metasilicate pentahydrate	Acute toxicity	LD50 Oral - rat - 847 mg/kg
	Skin corrosion/irritation	Corrosive. Causes skin burns
	Eye damage/irritation	Corrosive. Causes eye burns
	Respiratory/skin sensitization	No Data Available
	Germ cell mutagenicity	Sodium silicate was not mutagenic to the bacterium E. Coli when tested in a mutagenicity bioassay
	Carcinogenicity	There are no known reports of carcinogenicity of sodium silicates.
	Reproductive toxicity	Decreased numbers of births and survival to weaning was reported for rats fed sodium silicate in their drinking water at 600 and 1200 ppm.
	STOT (single exposure)	Dust corrosive to respiratory tract
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available
potassium hydroxide	Acute toxicity	Oral LD50 (rat): 273 mg/kg.
	Skin corrosion/irritation	Contact with skin will result in severe irritation. Corrosive to skin
	Eye damage/irritation	A severe eye irritant. Corrosive to eyes; contact can cause corneal burns Contamination of eyes can result in permanent injury
	Respiratory/skin sensitization	Data not available.
	Germ cell mutagenicity	Not expected to be mutagenic
	Carcinogenicity	Not expected to be carcinogenic.
	Reproductive toxicity	Data not available.
	STOT (single exposure)	Breathing in dust may result in respiratory irritation
	STOT (repeated exposure)	Data not available.
	Aspiration toxicity	Data not available.
tetrapotassium pyrophosphate	Acute toxicity	Oral LD50 (rabbit) >1000 mg/kg Dermal LD50 (rabbit) >4640 mg/kg
	Skin corrosion/irritation	Causes skin irritation. Irritation is likely to be more severe if the skin is moist or wet
	Eye damage/irritation	Causes serious eye irritation
	Respiratory/skin sensitization	EU/CLP • Classification criteria not met
	Germ cell mutagenicity	EU/CLP • Classification criteria not met
	Carcinogenicity	Does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probable or suspected human carcinogens
	Reproductive toxicity	EU/CLP • Classification criteria not met
	STOT (single exposure)	EU/CLP • Classification criteria not met
	STOT (repeated exposure)	EU/CLP • Classification criteria not met
	Aspiration toxicity	EU/CLP • Classification criteria not met
EDTA tetrasodium salt	Acute toxicity	Oral LD50 (rat): >1780 - <2000 mg/kg
	Skin corrosion/irritation	Contact with skin may result in irritation
	Eye damage/irritation	Irritant (rabbit).
	Respiratory/skin sensitization	Not sensitizing
	Germ cell mutagenicity	No adverse effect observed
	Carcinogenicity	Not listed as carcinogenic according to the International Agency for Research on Cancer (IARC).
	Reproductive toxicity	No Data Available
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available

monoethanolamine	Acute toxicity	Oral LD50 (rat) 1089 mg/kg Dermal LD50 (rat) 2504 mg/kg Inhalation LC50 >1300mg/m3 6h
	Skin corrosion/irritation	Causes severe skin burns and eye damage.
	Eye damage/irritation	Causes serious eye damage
	Respiratory/skin sensitization	No sensitizing effect
	Germ cell mutagenicity	The substance was not genotoxic in a test with mammals
	Carcinogenicity	Not carcinogenic
	Reproductive toxicity	Not classified
	STOT (single exposure)	May cause respiratory irritation
	STOT (repeated exposure)	The substance may cause damage to the upper respiratory tract after repeated inhalation, as shown in animal studies
	Aspiration toxicity	No aspiration hazard expected
nonylphenol ethoxylates	Acute toxicity	Oral LD50 (mouse) 4290 mg/kg
	Skin corrosion/irritation	moderate to severe irritation.
	Eye damage/irritation	moderate to severe irritation
	Respiratory/skin sensitization	Not sensitizing
	Germ cell mutagenicity	Not genotoxic
	Carcinogenicity	No Data Available
	Reproductive toxicity	No Data Available
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available
ethylene glycol monobutyl ether	Acute toxicity	Oral LD50 (guinea pig) 1414 mg/kg Dermal LD50 (guinea pig) >2000 mg/kg Inhalation LC0 >3.1 mg/l>641 ppm 1h
	Skin corrosion/irritation	Causes skin irritation.
	Eye damage/irritation	Causes serious eye irritation.
	Respiratory/skin sensitization	Not classified No study available.
	Germ cell mutagenicity	Not classified
	Carcinogenicity	Not classified
	Reproductive toxicity	Not classified
	STOT (single exposure)	High concentrations may cause central nervous system depression
	STOT (repeated exposure)	Based on repeated exposure toxicity values, not classified
	Aspiration toxicity	Based on physico-chemical values or lack of human evidence,not classified
proprietary ingredient	Acute toxicity	Oral LD50 (rat) 4070 mg/kg Dermal LD50 (rat) 2100 mg/kg
	Skin corrosion/irritation	May cause skin irritation
	Eye damage/irritation	May cause irritation, redness and pain
	Respiratory/skin sensitization	No available data
	Germ cell mutagenicity	Classified POSSIBLE for human. May cause adverse reproductive effects and birth defects (teratogenic)
	Carcinogenicity	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
	Reproductive toxicity	Development toxicoty: Classified Reproductive system/toxin/female, Reproductive system/toxin/male.[Suspected]
	STOT (single exposure)	No available data
	STOT (repeated exposure)	Repeated or prolonged exposure to the substance can produce target organs damage. May cause damage to the following organs: blood, the reproductive system, liver, central nervous system
	Aspiration toxicity	No available data
proprietary surfactant A	Acute toxicity	Oral LD50 (rat) 2546 mg/kg Dermal LD50 (rat) 1844 mg/kg
	Skin corrosion/irritation	Causes skin irritation
	Eye damage/irritation	Causes serious eye irritation
	Respiratory/skin sensitization	Not a skin sensitizer based on components
	Germ cell mutagenicity	There is no data available
	Carcinogenicity	No components are listed as carcinogens by IARC, ACGIH, OSHA or NTP above the threshold of 0.1%
	Reproductive toxicity	There is no data available
	STOT (single exposure)	There is no data available
	STOT (repeated exposure)	There is no data available
	Aspiration toxicity	There is no data available
proprietary surfactant B	Acute toxicity	Oral toxicity estimates 555.56 mg/kg Dermal LD50 (rabbit) >2000 mg/l
	Skin corrosion/irritation	May be irritating to skin
	Eye damage/irritation	Causes serious eye damage.
	Respiratory/skin sensitization	Not expected to be a sensitizer
	Germ cell mutagenicity	Not considered to be a mutagenic hazard
	Carcinogenicity	Not considered to be a carcinogenic hazard
	Reproductive toxicity	Not considered to be toxic to reproduction
	STOT (single exposure)	Not expected to cause toxicity to a specific organ
	STOT (repeated exposure)	Not expected to cause toxicity to a specific organ
	Aspiration toxicity	Not expected to be an aspiration hazard.

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

	Endpoint	Duration (Hr.)	Species	Value
potassium pyrophosphate	LC50	96	Fish	>100mg/L
	EC50	48	Crustacea	>100mg/L
	EC50	72	Algae or other aquatic plants	>100mg/L
	NOEC	72	Algae or other aquatic plants	>100mg/L
EDTA tetrasodium salt	LC50	96	Fish	41mg/L
	EC50	48	Crustacea	140mg/L
	EC50	72	Algae or other aquatic plants	=1.01mg/L
	EC10	72	Algae or other aquatic plants	=0.48mg/L
	NOEC	33	Algae or other aquatic plants	0.0003802-mg/L
monoethanolamine	LC50	96	Fish	>100mg/L
	EC50	48	Crustacea	32.6mg/L
	EC50	72	Algae or other aquatic plants	2.1mg/L
	NOEC	504	Crustacea	0.85mg/L
nonylphenol ethoxylates	NOEC	36.5	Fish	0.0001-mg/L
ethylene glycol monobutyl ether	LC50	96	Fish	1250-mg/L
	EC50	48	Crustacea	164mg/L
	EC50	72	Algae or other aquatic plants	623mg/L
	NOEL	336	Not Available	49.50000-mg/L
potassium hydroxide	LC50	96	Fish	80mg/L
	NOEC	24	Fish	28mg/L
sodium metasilicate, pentahydrate	LC50	96	Fish	210mg/L
	EC50	48	Crustacea	-22.94-49.01mg/L
	EC50	72	Algae or other aquatic plants	207mg/L
	EC0	72	Algae or other aquatic plants	35mg/L
	NOEL	120	Algae or other aquatic plants	2.172668-mg/L
proprietary ingredient	LC50	96	Pimephales promelas (fathead minnow)	484 mg/L
proprietary surfactant A	LC50	96	Rainbow trout	32.15 mg/L
proprietary surfactant B	LC50	96	Fish	>1-10 mg/L
	EC50	48	Daphnia (water flea)	>10 mg/L
	EC50	72	Algae	>1-10 mg/L

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high watermark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

Wastes resulting from use of the product must be disposed of on site or at approved waste sites.

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
monoethanolamine	LOW	LOW
nonylphenol ethoxylates	LOW	LOW
ethylene glycol monobutyl ether	LOW (Half-life = 56 days)	LOW (Half-life = 1.37 days)

Bio accumulative potential

Ingredient	Bioaccumulation
monoethanolamine	LOW (LogKOW = -1.31)
nonylphenol ethoxylates	LOW (BCF = 1.4)
ethylene glycol monobutyl ether	LOW (BCF = 2.51)

Mobility in soil

Ingredient	Mobility
monoethanolamine	HIGH (KOC = 1)
nonylphenol ethoxylates	LOW (KOC = 940)
ethylene glycol monobutyl ether	HIGH (KOC = 1)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product/packaging disposal	Recycle container whenever possible Dispose of product and containers in accordance with local government regulations
----------------------------	--

SECTION 14 TRANSPORT INFORMATION**Labels Required**

Marine Pollutant	NO
HAZCHEM	2X

Land transport (ADG): NOT REGULATED FOR THE TRANSPORTATION OF DANGEROUS GOODS.

SECTION 15 REGULATORY INFORMATION**Safety, health and environmental regulations / legislation specific for the substance or mixture****POTASSIUM HYDROXIDE IS FOUND ON THE FOLLOWING REGULATORY LISTS**

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6
Australian Inventory of Industrial Chemicals (AIIC)

SODIUM METASILICATE, PENTAHYDRATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
Australian Inventory of Industrial Chemicals (AIIC)

POTASSIUM PYROPHOSPHATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australian Inventory of Industrial Chemicals (AIIC)

EDTA TETRASODIUM SALT IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4
Australian Inventory of Industrial Chemicals (AIIC)

MONOETHANOLAMINE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6
Australian Inventory of Industrial Chemicals (AIIC)

PROPRIETARY INGREDIENT IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australian Inventory of Industrial Chemicals (AIIC)

NONYLPHENOL ETHOXYLATES IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
Australian Inventory of Industrial Chemicals (AIIC)
Chemical Footprint Project - Chemicals of High Concern List

ETHYLENE GLYCOL MONOBUTYL ETHER IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6
Australian Inventory of Industrial Chemicals (AIIC)
International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

PROPRIETARY SURFACTANT A - ALL THE COMPONENTS ARE LISTED OR EXEMPT IN THE FOLLOWING REGULATORY LIST

Australian Inventory of Industrial Chemicals (AIIC)

PROPRIETARY SURFACTANT B - ALL THE COMPONENTS ARE LISTED OR EXEMPT IN THE FOLLOWING REGULATORY LIST

Australian Inventory of Industrial Chemicals (AIIC)

SECTION 16 OTHER INFORMATION**Revision Schedule**

Revision Date	15/07/2025
Initial Date	08/12/2016

SDS Version Summary

Version	Issue Date	Sections Updated
5.1	15/12/2020	Sections 2,3,5,8,11,12,15,16 have been updated or corrected
5.2	31/01/2022	Sections 2, 3, 8, 11, 12, 14 and 15 have been revised.
6.1	11/01/2023	Section 2 (change in formulation)
6.2	15/07/2025	Section 2, 15.

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources such as the ECHA C&L Chemical Inventory, HSNO (CCID) New Zealand, NICNAS and HCIS Australia

DISCLAIMER: While the information in this Safety Data Sheet (SDS) is believed to be true and accurate based on the current level of knowledge available to us, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of ACTICHEM PTY LTD and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures, or processes

Definitions and abbreviations

PC-TWA;	Permissible Concentration-Time Weighted Average
PC-STEL:	Permissible Concentration-Short Term Exposure Limit
IARC:	International Agency for Research on Cancer
ACGIH:	American Conference of Government Industrial Hygienists
STEL:	Short Term Exposure Limit
TEEL:	Temporary Emergency Exposure Limit
IDLH:	Immediate Danger to Life or Health Concentrations
OSF:	Odour Safety Factor
NOAEL:	No Observed Effects Level
TLV:	Threshold Limit Value
LOD:	Limit Of Detection
OTV:	Odour Threshold Value
BCF:	Bio Concentration Factors
BEL:	Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from ACTICHEM PTY LTD.

End of SDS